

## NON-RESPONSIVE AMENDMENT

### *Response to Amendment*

The reply filed on 15 July 2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): amended claim 1 contains amended language "for the grouped installed" in line 10 of the claim, this language is not marked relative to the response of 26 March 2008 (see MPEP 714.02, must be in compliance with 37 CFR 1.121(c)). See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

### *Correspondence Information*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Wood whose telephone number is (571)-272-3736. The examiner can normally be reached 10:00am - 4:00pm Tuesday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis A. Bullock Jr. can be reached on (571)-272-3759. The fax phone numbers for the organization where this application or proceeding is assigned are (571)273-8300 for regular communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR systems, see <http://pair-direct.uspto.gov>. For questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

/William H. Wood/  
William H. Wood  
Primary Examiner, Art Unit 2193  
October 24, 2008